

TECHNICAL DATA

All rights reserved. Any disclosure or reproduction to a third person is submitted to an authorization.

<b>DEFINITION</b>	4 lug cap for vacuum sealing on threaded ring with the following designation:	GME 20-06 (GPI 2030)								
<b>PROFILED PANEL</b>	Regular Twist off with Step / RTS									
<b>SIZES</b>	Please refer to drawing ET70H10RTS at the bottom of the page.									
<b>METAL</b>	<p>Category: tin steel    Thickness: 0,16 mm    Tinning: 2.8/2.8 g/m<sup>2</sup></p> <p>All the metal characteristics comply to the European standard EN 10202</p>									
<b>COMPOUND (P27)</b>	<p>Food contact compound PVC ESBO suitable for non-fatty products and pasteurisation heat treatments up to 100°C.</p> <p>Nominal compound thickness 0.8 mm +/- 0.20 mm</p>									
<b>INTERIOR PROTECTION (1WHBN)</b>	For non-corrosive products: 1 operation of white organosol varnish BPA NI									
<b>PROTECTION AND EXTERIOR DECORATION</b>	Please refer to drawing RBS-05740T00									
<b>DECLARATION OF CONFORMITY</b>	Please refer to declarations of conformity									
<b>PACKAGING</b>  (weights are given with ± 10%)	<p>Average weight of a cap: 10,3 g    Gross average weight of a carton: 11,9 kg    Number of caps/carton: 1150 (in plastic bags)</p> <table border="1"> <thead> <tr> <th>Number of cartons / pallet</th> <th>Number of caps / pallet</th> <th>Gross average weight</th> <th>Pallet size</th> </tr> </thead> <tbody> <tr> <td>30</td> <td>34500</td> <td>357</td> <td>800 X 1 200 X 2 220 mm</td> </tr> </tbody> </table>		Number of cartons / pallet	Number of caps / pallet	Gross average weight	Pallet size	30	34500	357	800 X 1 200 X 2 220 mm
Number of cartons / pallet	Number of caps / pallet	Gross average weight	Pallet size							
30	34500	357	800 X 1 200 X 2 220 mm							
<b>STORAGE CONDITIONS AND DLUO</b>	Please refer to	Caps user guide for the Massilly group regarding storage								
<b>USE CONDITIONS</b>	Please refer to	Caps user guide for the Massilly group regarding caps and their relevant use.								
<b>DRAWING ET70H10RTS</b>										